

Serial No.: 10/017,077

- 2 -

Art Unit: 1724

AMENDMENTS

In the Claims

This listing of the claims replace all prior versions, and listings, of claims in the application. Amendments to the claims are shown by ~~strikethrough~~ for deleted matter or underlining for added matter.

Please cancel claims 21, 24-26, and 29, without prejudice or disclaimer.

1-11. (cancelled)

12. (currently amended) ~~Apparatus~~A system for removing metal ions from wastewater ~~treating a slurry stream~~, comprising:

(a) ~~—a chemical mechanical polishing unit for chemical mechanical polishing integrated circuits, said chemical mechanical polishing unit having comprising a source of a chemical mechanical polishing effluent discharge for discharging a wastewater comprising the slurry stream containing byproduct polishing slurry containing copper ions at a level in the range of about 1-100 mg/L;~~

(b) ~~—a carbon bed connected directly to said source of the chemical mechanical polishing effluent discharge, said carbon bed providing means for receiving said wastewater feed containing metal ions in solution, wherein said wastewater feed contains solids sized in the range of about 0.01-1.0 μm in an amount higher than about 50 mg/L comprising an activated carbon;~~
and

(c) ~~—an ion exchange unit connected directly to said carbon bed, for receiving a carbon bed product stream from said carbon bed and for removing said metal ions from solutionsaid ion exchange unit comprising chelating ion exchange resin.~~

Serial No.: 10/017,077

- 3 -

Art Unit: 1724

13. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 12, wherein said wastewater feed the slurry stream contains solids in an amount higher than about 100 mg/l.

14. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 12, wherein said wastewater feed the slurry stream contains hydrogen peroxide and ~~said carbon bed product stream has concentration levels of hydrogen peroxide less than about 0.1 mg/l.~~

15. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 14, wherein wastewater feed the slurry stream comprises a byproduct polishing slurry and ~~said metal ions comprise copper ions in said byproduct polishing slurry.~~

16. (cancelled)

17. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 15, wherein said chelating ion exchange unit resin comprises organic chemical means for contacting said carbon bed product stream metal ions with a resin having a macroporous ~~an~~ iminodiacetic functional group to attach said copper ions.

18. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 15, wherein said chelating ion exchange unit resin comprises organic chemical means for contacting said carbon bed product stream metal ions with cross-linked polystyrene resin to attach said copper ions.

19. (currently amended) ~~Apparatus for removing metal ions from wastewater~~The system as set forth in claim 18, wherein said chelating ion exchange unit resin comprises inorganic chemical means for contacting said carbon bed product stream metal ions with cross-linked

Serial No.: 10/017,077

- 4 -

Art Unit: 1724

polystyrene resin having a bead size in the range of about 0.4 to 1.23 mm with a tight uniformity coefficient of about 1.7 to attach said copper ions.

20-21. (cancelled)

22. (currently amended) Apparatus for removing metal ions from wastewater ~~The system~~ as set forth in claim 2130, wherein said wastewater feeds the slurry stream contains solids in an amount higher than about 100 mg/l.

23. (currently amended) Apparatus for removing metal ions from wastewater ~~The system~~ as set forth in claim 2130, wherein said wastewater feeds the slurry stream contains solids in an amount in the range of about 500-2000 mg/l.

24-26. (cancelled).

27. (currently amended) Apparatus for removing metal ions from wastewater ~~The system~~ as set forth in claim 2530, wherein said means for passing said carbon bed product stream from said carbon bed to an ion exchange unit ~~resin~~ comprises means for contacting said carbon bed product stream metal ions with cross-linked polystyrene resin to attach said copper ions.

28. (currently amended) Apparatus for removing metal ions from wastewater ~~The system~~ as set forth in claim 27, wherein said means for passing said carbon bed product stream from said carbon bed to an ion exchange unit ~~comprises means for contacting said carbon bed product stream metal ions with~~ the cross-linked polystyrene resin screened to provide ~~as a~~ bead size in the range of about 0.4 to 1.23 mm with a tight uniformity coefficient of about 1.7 to attach said copper ions.

29. (cancelled)

Serial No.: 10/017,077

- 5 -

Art Unit: 1724

30. (new) A system for treating a slurry stream, comprising:
a source of the slurry stream comprising about 1 mg/l to about 100 mg/l copper ions, at least about 400 mg/l hydrogen peroxide, and at least about 50 mg/l solids and having a pH of less than about 7;
a carbon bed comprising granular activated carbon fluidly connected to the source of the slurry stream; and
an ion exchange bed comprising ion exchange resin having iminodiacetic functional groups, the ion exchange bed fluidly connected downstream of the carbon bed.
31. (new) A system for treating a waste slurry stream from a chemical mechanical polishing system, comprising:
a collection tank fluidly connectable to a discharge outlet of the chemical mechanical polishing system;
a circulation line fluidly connected to the collection tank;
a carbon column fluidly connected to the circulation line, the carbon column comprising granular activated carbon; and
an ion exchange column fluidly connected to the carbon column, the ion exchange column comprising chelating ion exchange resin.
32. (new) The system as set forth in claim 31, wherein at least a portion of the chelating ion exchange resin comprises iminodiacetic acid functional groups.
33. (new) The system as set forth in claim 31, wherein the chelating ion exchange resin has a bead size of about 0.4 to about 1.23 mm.